ELSEVIER

Powder Technology 84 (1995) 289

POWDER TECHNOLOGY

Author Index of Volume 84

Allen, M., 1
Arastoopour, H., 221
Arellano, M., 117

Bacsur, G., 269
Bai, D., 75
Bargieł, M., 259
Bevers, D., 269
Bolwin, K., 269
Brown, G.J., 1

Cabrejos, F.J., 139
Clark, N.N., 247

Drescher, A., 165, 177

Elliott, S., 23

Faust, D.L., 277
Feke, D.L., 117
Forssberg, E., 101

Gao, M., 101
Garić, R.V., 65
Gautam, M., 283
Gera, D., 283
Gleason, E.K., 231
Grbavčić, Ž.B., 49, 65

Halow, J.S., 247
Han, N.-S., 15
Hidaka, N., 157
Hong, J., 213
Hughes, R.J., 259
Hussein, G.A.M., 185

Ismail, H.M., 185

Jabas, D.L., 277
Jimbo, G., 15
Jovanović, S.Dj., 49, 65

Karamavruc, A.I., 247
Kato, K., 75
Kavanagh, P.E., 199
Klinzing, G.E., 139
Kokkoris, A., 39
Kunii, D., 83

Levenspiel, O., 83
Li, H., 191, 241
Littman, H., 49
Liu, H., 241

Manas-Zloczower, I., 117
Masuda, Y., 75
Matsumoto, T., 157
Meloy, T.P., 107
Mi, B., 91
Miles, N.J., 1
Morgan III, M.H., 49
Morooka, S., 157
Mort, P.R., 231
Moyer, H.R., 23
Muzzio, F.J., 231

Nakagawa, N., 75
Nishio, K., 75
Nolan, G.T., 199

Onitani, M., 157

Paccione, J.D., 49

Rajamani, R.K., 127
Rhoades, C.A., 165, 177
Riman, R.E., 231
Rollins, D.K., 277

Shen, L., 207
Shen, Y., 213
Shibuya, E., 75
Sinclair, J.L., 23
Styrkas, A.D., 35
Styrkas, D., 35
Sun, Z.-F., 15

Tarshan, M., 107
Tomita, Y., 213
Tory, E.M., 259
Turton, R., 39

Verma, R., 127
Vukovic, D.V., 49

Wagner, N., 269
Wang, D., 57
Wang, Z., 191
Waters, A.J., 165, 177
Wightman, C., 231
Williams, M.C., 107
Wypych, P.W., 57, 91

Xu, Y., 207

Yamazaki, R., 15
Yasuna, J.A., 23

Zhang, M., 207
Zhang, Y.-F., 221
Zhou, Y., 241
Zhu, Q., 241

Elsevier Science S.A.

ELSEVIER

Powder Technology 84 (1995) 291–294

POWDER TECHNOLOGY

Subject Index of Volume 84

Adsorption
effect of surfactant treatment on the formation of bound polymer on titanium dioxide powders, 117
Agglomeration
the cluster size distribution and motion behavior in a fast fluidized bed, 241
Arches
arching in hoppers: II. Arching theories and critical outlet size, 177
Arching
arching in hoppers: I. Arching theories and bulk material flow properties, 165
Attrition
a phenomenological model predicting the attrition and the reduction of attrition due to the addition of solid lubricants in slugging beds, 39
Axial dispersion
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157

Ball-mill
preparation and characterization of Nafion powders for low cost PEFC electrode production, 269
Ball milling
environment-dependent breakage rates in ball milling, 127
Beneficiation ratio
feasible and locally optimal designs in the class of homogeneous, countercurrent, processing networks: two-component, non-sharp separations, 107
Breakage rates
environment-dependent breakage rates in ball milling, 127
Bubble aspect ratio
bubble rise velocity in two-dimensional fluidized beds, 283
Bubble column
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157
Bubble rise velocity
bubble rise velocity in two-dimensional fluidized beds, 283
Bulk materials
arching in hoppers: I. Arching theories and bulk material flow properties, 165
arching in hoppers: II. Arching theories and critical outlet size, 177

Characterization
measurement of boundary fractal dimensions: review of current techniques, 1
characterization of lanthanum oxide formed as a final decomposition product of lanthanum acetylacetonate: thermoanalytical, spectroscopic and microscopic studies, 185
Circulating fluidized bed
dilute fluidized cracking catalyst particles–gas flow behavior in the riser of a circulating fluidized bed, 221

Elsevier Science S.A.

Circulating fluidized bed operation
effect of exit geometry on the vertical distribution of solids in circulating fluidized beds. Part I: solution of fundamental equations; Part II: analysis of reported data and prediction, 83
Clusters
the cluster size distribution and motion behavior in a fast fluidized bed, 241
Computational study
quantitative predictions of gas–particle flow in a vertical pipe with particle–particle interactions, 23
Computer simulation
random packing of nonspherical particles, 199
Conveying conditions
investigations into wall pressure during slug-flow pneumatic conveying, 91
Coordination number
random packing of nonspherical particles, 199
Critical outlet size
arching in hoppers: II. Arching theories and critical outlet size, 177
Critical velocity
phase diagrams in dense phase pneumatic transport, 213
Crossing velocities
validity of measures of sedimentation velocity, 259

Decomposition
characterization of lanthanum oxide formed as a final decomposition product of lanthanum acetylacetonate: thermoanalytical, spectroscopic and microscopic studies, 185
Dense phase
phase diagrams in dense phase pneumatic transport, 213
Design practice
water-only performance of proportioning jet pumps for hydraulic transportation of solids, 57
Diagnostic technique
characterization of dilute gas–solids flows using the rescaled range analysis, 139
Differential pressure
application of mutual information theory to fluid bed temperature and differential pressure signal analysis, 247
Dispersed phase
the cluster size distribution and motion behavior in a fast fluidized bed, 241
Dispersion stability
effect of surfactant treatment on the formation of bound polymer on titanium dioxide powders, 117
Domes
arching in hoppers: II. Arching theories and critical outlet size, 177
Drag coefficients
effect of particle diameter, particle density and loading ratio

on the effective drag coefficient in steady turbulent gas–solids transport, 49

Equivalent specific surface area
a new criterion for prejudging the fluidization behavior of powders, 191

Fine solid lubricants
a phenomenological model predicting the attrition and the reduction of attrition due to the addition of solid lubricants in slugging beds, 39
Flow
distinction between upward and downward flows in circulating fluidized beds, 75
Flow patterns
characterization of dilute gas–solids flows using the rescaled range analysis, 139
Flow properties
arching in hoppers: I. Arching theories and bulk material flow properties, 165
Fluctuating velocity
dilute fluidized cracking catalyst particles–gas flow behavior in the riser of a circulating fluidized bed, 221
Fluidization voidage
effect of chemisorbed water on bed voidage of high temperature fluidized bed, 15
Fluidized beds
distinction between upward and downward flows in circulating fluidized beds, 75
solids mixing in fluidized beds, 207
application of mutual information theory to fluid bed temperature and differential pressure signal analysis, 247
Fluidized cracking catalyst
dilute fluidized cracking catalyst particles–gas flow behavior in the riser of a circulating fluidized bed, 221
Fractals
measurement of boundary fractal dimensions: review of current techniques, 1
Fuel cell
preparation and characterization of Nafion powders for low cost PEFC electrode production, 269
Fundamental equations
effect of exit geometry on the vertical distribution of solids in circulating fluidized beds. Part I: solution of fundamental equations; Part II: analysis of reported data and prediction, 83

Gas-particle flow
quantitative predictions of gas–particle flow in a vertical pipe with particle–particle interactions, 23
Gas–solids flow
hydrodynamic modeling of vertical non-accelerating gas–solids flow, 65
Gas–solid transport
effect of particle diameter, particle density and loading ratio on the effective drag coefficient in steady turbulent gas–solids transport, 49
Graph theory
feasible and locally optimal designs in the class of homogeneous, countercurrent, processing networks: two-component, non-sharp separations, 107
Gravitational discharge
arching in hoppers: II. Arching theories and critical outlet size, 177

Holdup
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157
Homogeneous countercurrent processing networks
feasible and locally optimal designs in the class of homogeneous, countercurrent, processing networks: two-component, non-sharp separations, 107
Hoppers
arching in hoppers: II. Arching theories and critical outlet size, 177
Humidity
effect of chemisorbed water on bed voidage of high temperature fluidized bed, 15
Hydrodynamic behavior
a phenomenological model predicting the attrition and the reduction of attrition due to the addition of solid lubricants in slugging beds, 39
Hydrodynamic modeling
hydrodynamic modeling of vertical non-accelerating gas–solids flow, 65

Image analysis
measurement of boundary fractal dimensions: review of current techniques, 1

Lanthanum acetylacetonate
characterization of lanthanum oxide formed as a final decomposition product of lanthanum acetylacetonate: thermoanalytical, spectroscopic and microscopic studies, 185
Laser doppler anemometry
dilute fluidized cracking catalyst particles–gas flow behavior in the riser of a circulating fluidized bed, 221
Lead
production of fine tin and lead powders and porous filters, 35
Loading ratio
effect of particle diameter, particle density and loading ratio on the effective drag coefficient in steady turbulent gas–solids transport, 49

Mill environment
environment-dependent breakage rates in ball milling, 127
Mixing indexes
a superior approach to indices in determining mixture segregation, 277
Mixing indices
a superior approach to indices in determining mixture segregation, 277
Mixing of solids
the structure of mixtures of particles generated by time-dependent flows, 231
Mixture homogeneity
a superior approach to indices in determining mixture segregation, 277
Modeling
hydrodynamic modeling of vertical non-accelerating gas–solids flow, 65
solids mixing in fluidized beds, 207
Model predictions
quantitative predictions of gas–particle flow in a vertical pipe with particle–particle interactions, 23
Motion behavior
the cluster size distribution and motion behavior in a fast fluidized bed, 241
Motion velocity
the cluster size distribution and motion behavior in a fast fluidized bed, 241

Mutual information theory
application of mutual information theory to fluid bed temperature and differential pressure signal analysis, 247

Network separation factors
feasible and locally optimal designs in the class of homogeneous, countercurrent, processing networks: two-component, non-sharp separations, 107
Nitrogen adsorption
characterization of lanthanum oxide formed as a final decomposition product of lanthanum acetylacetonate: thermoanalytical, spectroscopic and microscopic studies, 185
Nonspherical particles
random packing of nonspherical particles, 199

Particle density
effect of particle diameter, particle density and loading ratio on the effective drag coefficient in steady turbulent gas–solids transport, 49
Particle diameter
effect of particle diameter, particle density and loading ratio on the effective drag coefficient in steady turbulent gas–solids transport, 49
Particle fluidization behavior
a new criterion for prejudging the fluidization behavior of powders, 191
Particle position
validity of measures of sedimentation velocity, 259
Particle size analysis
preparation and characterization of Nafion powders for low cost PEFC electrode production, 269
Particle velocity
validity of measures of sedimentation velocity, 259
Phase diagram
phase diagrams in dense phase pneumatic transport, 213
Pneumatic transport
phase diagrams in dense phase pneumatic transport, 213
Polymer
preparation and characterization of Nafion powders for low cost PEFC electrode production, 269
Porous filters
production of fine tin and lead powders and porous filters, 35
Pressure loss
water-only performance of proportioning jet pumps for hydraulic transportation of solids, 57
Product size distributions
prediction of product size distributions for a stirred ball mill, 101
Proportioning jet pumpfeeder
water-only performance of proportioning jet pumps for hydraulic transportation of solids, 57

Random packed states
random packing of nonspherical particles, 199
Rescaled range analysis
characterization of dilute gas–solids flows using the rescaled range analysis, 139

Saltation
phase diagrams in dense phase pneumatic transport, 213
Sampling
the structure of mixtures of particles generated by time-dependent flows, 231
Scanning electron microscopy
characterization of lanthanum oxide formed as a final decomposition product of lanthanum acetylacetonate: thermoanalytical, spectroscopic and microscopic studies, 185
Segregation
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157
a superior approach to indices in determining mixture segregation, 277
Silica beds
effect of chemisorbed water on bed voidage of high temperature fluidized bed, 15
Slip velocity
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157
Slug-flow
investigations into wall pressure during slug-flow pneumatic conveying, 91
Slugging fluid bed
a phenomenological model predicting the attrition and the reduction of attrition due to the addition of solid lubricants in slugging beds, 39
Solids mixing
solids mixing in fluidized beds, 207
Solids reflux
effect of exit geometry on the vertical distribution of solids in circulating fluidized beds. Part I: solution of fundamental equations; Part II: analysis of reported data and prediction, 83
Stirred ball milling
prediction of product size distributions for a stirred ball mill, 101
Stress transmission coefficient
investigations into wall pressure during slug-flow pneumatic conveying, 91
Surfactant
effect of surfactant treatment on the formation of bound polymer on titanium dioxide powders, 117
Symmetrical hoppers
arching in hoppers: I. Arching theories and bulk material flow properties, 165

Temperature
effect of chemisorbed water on bed voidage of high temperature fluidized bed, 15
Three-phase fluidization
inverted segregation of binary particles in gas–liquid–solid fluidized bed, 157
Tin
production of fine tin and lead powders and porous filters, 35
Titanium dioxide powders
effect of surfactant treatment on the formation of bound polymer on titanium dioxide powders, 117
Transit time
validity of measures of sedimentation velocity, 259
Tumbling blenders
the structure of mixtures of particles generated by time-dependent flows, 231

Ultra-fine grinding
prediction of product size distributions for a stirred ball mill, 101

Velocity
dilute fluidized cracking catalyst particles–gas flow behavior in the riser of a circulating fluidized bed, 221
Vertical distribution of solids
effect of exit geometry on the vertical distribution of solids in circulating fluidized beds. Part I: solution of fundamental equations; Part II: analysis of reported data and prediction, 83

Vertical rocking
the structure of mixtures of particles generated by time-dependent flows, 231

Wake effects
bubble rise velocity in two-dimensional fluidized beds, 283
Wall pressure
investigations into wall pressure during slug-flow pneumatic conveying, 91
Wall pressure signals
characterization of dilute gas–solids flows using the rescaled range analysis, 139
Water-only performance
water-only performance of proportioning jet pumps for hydraulic transportation of solids, 57

Zeolite molecular sieves
a phenomenological model predicting the attrition and the reduction of attrition due to the addition of solid lubricants in slugging beds, 39